

Hexamethyldisilazane

Procedure:

Hexamethyldisilazane (HMDS) provides a rapid, inexpensive method for the preparation of soft insect tissues for Scanning Electron Microscopy (SEM). This procedure is used in place of critical point drying and takes only 5 minutes.^{1,2}

1. Use freshly cut insect tissues in 2 mm to 10 mm long by 2 mm thick.
2. Immerse tissues in physiological saline.
3. Immediately transfer to a solution containing 1% Glutaraldehyde in 0.1 M Cacodylate buffer, pH 7. Allow tissues to sit in this fixative for 5 minutes.
4. Wash tissues for 5 minutes in distilled H₂O.
5. Dehydrate using a series of ethanol washes:
 - a. 70% Ethanol - 5 minutes.
 - b. 85% Ethanol - 5 minutes.
 - c. 95% Ethanol - 5 minutes.
 - d. 100% Ethanol - 5 minutes.
6. Immerse tissues in HMDS for 5 to 15 minutes, depending on their sizes. Then, air dry at room temperature. Larger specimens are better dried in a desiccator under low vacuum.³
7. Mount tissues on stainless steel SEM stubs.
8. Coat immediately with gold in a sputter coater or store desiccated until coated.

Safety Precautions:

CAUTION: HANDLE WITH CARE. May cause burns to eyes and skin. Avoid contact with eyes and skin. Avoid breathing vapors. Wear goggles, gloves and protective clothing. Use only with adequate ventilation. Wash thoroughly after handling. The long-term toxicity has not been determined. Avoid prolonged or repeated exposure.

FIRST AID: In case of contact, flush eyes or skin with plenty of water for at least 15 minutes. Call a physician immediately.

STORAGE: Store in a dry area at 15-27°C. Keep container tightly closed. Store away from heat, sparks and open flame. Should appear as a clear liquid.

Ordering Information:

Cat. #	Description	Size
00692	Hexamethyldisilazane (HMDS)	250g
00216	Glutaraldehyde, EM Grade, snap open vial, 8% aqueous	30 x 10ml amp
03880	Cacodylic acid, free acid	100g
01131	Cacodylic acid, sodium salt	100g 500g

*Please write for Data Sheet #124 for a complete listing of our glutaraldehyde products.

To Order:

In The U.S. Call: 1-800-523-2575 • 215-343-6484 In Germany Call: (49) 6221-765767
In The U.S. FAX: 1-800-343-3291 • 215-343-0214 In Germany FAX: (49) 6221-764620

Order online anytime at www.polysciences.com

References:

1. Nation, J.L., Stain Tech., 58 (6), 347-351 (1983).
2. Nation, J.L., Int. J. Insect Morphol. Embryol., 12 (4), 201-210 (1983).
3. Giammara, B., Proceed. EMSA, 45, 878 (1987).

Should any of our materials fail to perform to our specifications, we will be pleased to provide replacements or return the purchase price. We solicit your inquiries concerning all needs for life sciences work. The information given in this bulletin is to the best of our knowledge accurate, but no warranty is expressed or implied. It is the user's responsibility to determine the suitability for his own use of the products described herein, and since conditions of use are beyond our control, we disclaim all liability with respect to the use of any material supplied by us. Nothing contained herein shall be construed as a recommendation to use any product or to practice any process in violation of any law or any government regulation.